Space Weather Technical Forecast

Issued on Monday, 26 August 2024 at 13:07 Local

This technical forecast provides a four day assessment of space weather events. The probabilities stated below are for reaching or exceeding the given levels. For more information about space weather impacts please see the Met Office Space Weather Scales https://www.metoffice.gov.uk/weather/learn-about/space-weather/uk-scales

Space Weather Forecast Headline: Moderate Solar Activity with further M-class flares likely. Chance of G1 Minor Storm intervals Day 2 (27 Aug) from CME glancing blow.

Analysis of Space Weather Activity over past 24 hours

Solar Activity: Activity has been Moderate in the last 24 hours, with a single M-class flare peaking at M1.4 at 26/1141UTC, originating from AR3796.

There are twelve regions on the Earth-facing disc. AR3800, near south-centre disc remains the most likely and notable flare source, consisting of a string of smaller spots, but including a small delta configuration in its intermediate spots. AR3790 in the southwest has historically been one of the larger spot regions, but has been relatively stable and remains a largely inactive region. AR3796 has shown slight growth of penumbra on some intermediate spots. Some slight decay continues to be observed in AR3801, while AR3799 maintains a simple bipolar structure. Two new regions are emerging around the eastern limb, one in the north where magnetic looping has been evident on SDO imagery, and the other in the south. The remaining regions remain small and simple, and are either stable or showing some signs of decay.

No Earth-directed CMEs were observed.

Solar Wind / Geomagnetic Activity: Slow wind conditions dominated. Solar wind speed, as measured by ACE at L1, was at background levels throughout, initially around 350km/s but has declined to current levels of 300km/s. Density was below average. Interplanetary Magnetic Field (IMF), Bt, was weak, around 3-5nT. The north-south component, Bz, varied weakly between -5nT and +4nT. Phi angle was positive (away from the Sun). Geomagnetic activity was Quiet (Kp0-2).

Energetic Particles / Solar Radiation: High energy (greater than 10 MeV) proton flux observed by GOES18 remained at background. High energy electron flux (greater than 2MeV) observed at GOES16 was mainly at background, but did have a brief diurnal rise to moderate levels. The 24-hour fluence was below the Active threshold, with 3.67e6 integrated pfu observed at 26/0000UTC.

Four-Day Space Weather Forecast Summary

Solar Activity: M-class flares are expected with a slight chance of isolated X-flares.

Solar Wind /Geomagnetic Activity: A CME from the filament eruption near AR3794 just after 23/0100UTC has been assessed as passing mainly ahead of Earth, but with a glancing impact likely early Day 2 (27 Aug). Additionally, an unnumbered coronal hole in centre disc may cause some slight enhancement to the solar wind later on Day 3 or early Day 4 (28-29 Aug).

Mainly Quiet geomagnetic activity is expected with occasional of Unsettled spells, primarily due to the aforementioned glancing CME or coronal hole effects. There is a chance of Active to G1 Minor Storm if the CME glance occurs, most likely Day 2 (27 Aug).

Energetic Particles / Solar Radiation: High energy proton flux is likely to remain at background, but with the potential to rise in response to any notable flares, giving a slight

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2024. All Rights Reserved.

chance of reaching the S1 Minor Radiation Storm level. High energy electron flux is expected to remain at background levels. The associated 24-hour fluence is expected to persist below the Active level.

Figure 1. Solar Analysis Valid 26/0800UTC.



Key: Filament ___ , Prominence ___ , Magnetic Field Line - - - , Polarity +/-, Coronal Holes: Grey shaded area CHxx +/-, Sunspot groups 25xx - Mt Wilson α-β-βγ-βγδ and Zurich-McIntosh Axx etc.

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2024. All Rights Reserved.

Geomagnetic Storms:

A CME from a filament eruption near AR3794 just after 23/0100UTC, has been assessed as passing mainly ahead of Earth, but with a glancing arrival likely early Day 2 (27 Aug).

An unnumbered coronal hole in centre disc may cause some slight enhancement to the solar wind later on Day 3 or early Day 4 (28-29 Aug). This coronal hole is persistent, but the forecast is somewhat uncertain due to contamination from previous CME impacts during the last solar rotation. While the MOSWOC ENLIL model predicts a slight enhancement a day earlier than expected, its forecast of only a very minor increase in solar wind is considered accurate.

Mainly Quiet geomagnetic activity is expected with occasional of Unsettled spells, primarily due to the aforementioned glancing CME or coronal hole effects. There is a chance of Active to G1 Minor Storm if the CME glance occurs, most likely Day 2 (27 Aug).

Geo-Magnetic Storm Probability (Exceedance)	Level	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Minor or Moderate	G1 to G2	No	10	30	5	5
Strong	G3	No	1	1	1	1
Severe	G4	No	1	1	1	1
Extreme	G5	No	1	1	1	1

Geomagnetic Activity - Earthbound Coronal Mass Ejections

Date/time 21.5R (UTC)	Halo: Full or Partial	Source	Source Location	Estimated Speed	Estimated Arrival Time	Comments
23/0858	Partial	C5 flare and filament eruption	NW, nr AR3794	416 km/s	27/0600 UTC +/-9hrs	Low confidence. Glancing impact likely.

Figure 2: ENLIL and ensemble, showing glancing arrival of CME on Day 3 (27 Aug)

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2024. All Rights Reserved.



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2024. All Rights Reserved.

Radio Blackouts - X-Ray Flares:

Activity has been Moderate in the last 24 hours, with a single M-class flare peaking at M1.4 at 26/1141UTC, originating from AR3796. Further M-class flares are expected with a slight chance of isolated X-flares.

There are twelve regions on the Earth-facing disc. AR3800, near south-centre disc remains the most likely and notable flare source. It features a large leader spot followed by a series of smaller spots, including a weakening delta region on one of its intermediate spots. AR3790 in the southwest has historically been one of the larger regions, but has been relatively stable and remains a largely inactive region. AR3796 has recently shown slight growth of penumbra on some of its southern intermediate spots, where a weak delta spot has formed. Two new spot regions are emerging near the eastern limb -one in the north where magnetic looping has been evident on SDO imagery, and another in the south. Both regions need to rotate further onto the visible disc for a more thorough analysis. The remaining regions are small, magnetically simple, and appear largely stable.

X Ray Flares	Level	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC)	Day 2 (00-24 UTC)	Day 3 (00-24 UTC)	Day 4 (00-24 UTC)
Probability			(%)	(%)	(%)	(%)
Active	R1-R2 M Class	No	70	70	70	70
Very Active	R3 to R5 X Class	No	10	10	10	10

Figure 3: GOES 16/18 X-ray flux



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2024. All Rights Reserved.

Solar Radiation Storms - (High Energy Protons):

High energy proton flux, as observed by GOES-18, is currently at background and expected to persist at this level. There are a number of moderately sized sunspot regions on the disc, with occasional low M-flares likely. Furthermore, a number of these are now either in, or soon to move into the western hemisphere, where it is favourable for any erupted protons to subsequently be observed at Earth. However the regions currently lack complexity that is ordinarily associated with the more proton rich events. Consequently, there is a chance that proton flux will rise given any notable flares, however this only gives a slight chance of exceeding the S1 Minor Radiation Storm threshold.

Radiation Storms Probability (Exceedance)	Level (cm^{-2} sr^{-1} s^{-1})	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Active	**≥ S1**	No	10	10	10	10
Very Active	**≥ S3 ***	No	1	1	1	1
* S3 ≥ 10 MeV ≥ 1000 pfu and / or ≥ 50 MeV ≥ 10 pfu. (pfu = $cm^{-2}sr^{-1}s^{-1}$)						

High Energy Electrons Event (≥ 2MeV):

High energy electron flux as observed by GOES-16 is currently at background and forecast to remain at this level, although likely with some moderate diurnal fluctuations.

Fluence is expected to remain below the Active (1e8 integrated pfu) threshold through the period. MOSWOC REFM is currently providing reasonable guidance.

GEO Electron Environment Probability (Exceedance)	Level (cm^{-2} sr^{-1} day^{-1})	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Active	**≥ 2 MeV ≥ $1x10^8$**	No	1	1	1	1
Very Active	**≥ 2 MeV ≥ $1x10^9$**	No	1	1	1	1

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2024. All Rights Reserved.